Data sheet

HP LaserJet Managed E60065 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed E60065dn



HP LaserJet Managed E60065x

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.5
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.6

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.6
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

HP LaserJet Managed E60065x

Product walkaround

- 1. Hardware Integration Pocket³
- 2. 4.3-inch (10.9 cm) color touchscreen control panel
- 3. Easy-access USB port1
- 4. 100-sheet multipurpose tray 1
- 5. Front door access to toner cartridges
- 6. 550-sheet input tray 2
- 7. 550-sheet input tray 3
- 8. 500-sheet output bin
- 9. Automatic two-sided printing
- 10. Host USB port
- 11. Gigabit Ethernet network port
- 12. Hi-Speed USB 2.0 printing port
- 13. Slot for cable-type security lock



Front view

Back view

Series at a glance





Model	HP LaserJet Managed E60065dn	HP LaserJet Managed E60065x
Part number	M0P35A	M0P36A
Print speeds (letter/A4) ²	Up to 65/61 pages per minute (ppm)	Up to 65/61 ppm
Control panel	2.7-inch (6.9 cm) LCD with keypad	4.3-inch (10.9 cm) touchscreen
Hardware Integration Pocket ³	$\sqrt{}$	\checkmark
100-sheet multipurpose tray 1, 550-sheet tray 2	2. √	\checkmark
550-sheet paper feeder⁴	Optional (up to four)	√ (plus up to three optional)
2,100-sheet paper feeder⁴	Optional	Optional
Envelope feeder	Optional (up to two)	Optional (up to two)
Printer stand	Optional	Optional
5-bin stapler/stacker/mailbox with job offs	Optional	Optional
Wireless direct,5NFC touch-to-print6	Optional	Optional
Wireless networking ⁷	Optional	Optional
HP High-Performance Secure Hard Disk	Optional	Optional

¹An administrator must enable the easy-access USB port before use. ²Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ⁴Both models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP Laser Jet Managed E60065x model comes with one additional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. All optional accessories support media up to futer size (A4)- ³Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/I Wireless Direct Accessory. Mobile device eneds to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. ⁶Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/I Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing, For en information, see hp.com/go/mobileprinting. ⁶Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/I Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing, For en information, see hp.com/go/businessmobileprinting. ⁵Add wireless networking by purchasing the optional HP Jetdirect 2900w Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc













Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.

Accessories

LOH17A HP LaserJet 550-Sheet Paper feeder LOH18A HP LaserJet 2100 sheet Paper feeder

LOH19A HP LaserJet Printer Stand

LOH20A HP LaserJet Stapler/Stacker/ Mailbox

LOH21A HP Envelope Feeder B5L28A HP Internal USB Ports

B5L29A HP Secure High Perf Hard Disk Drive J8031A HP Jetdirect 2900nw Print Server

F5S62A HP Trusted Platform Module Accessory

G6W84A 1 GB Memory DIMM Kit

LOH22A HP Extension Tray Cover (M0P35A)

Supplies

J8.96A HP Staple Cartridge Refill , LOH24A HP LaserJet 110v Maintenance Kit LOH25A HP LaserJet 220v Maintenance Kit

W9004MC HP Black Managed LaserJet Toner (50,000 yield)

Services

U9NH7E HP 5 year Next Business Day HW Support w/DMR

U9NJ0E HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention U9NJ5PE HP 2 year Post Warranty Next Business Day HW Support w/DMR

U9NJ7PE HP 2 year Post Warranty 4 hour 9x5 HW Support w/DMR

U9NJ9PE HP 2 yr Post Wty NBD Parts Exchange Service

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. E

HP LaserJet Managed E60065 series

Technical Specifications	HP LaserJet Managed E60065dn (MOP35A)	HP LaserJet Managed E60065x (M0P36A)		
Print speed	Letter: Up to 65 ppm black; 7; First	Page Out Black: As fast as 5.3 sec; ⁹		
Print resolution	Black (best): Up	Black (best) : Up to 1200 x 1200 dpi		
Print Technology	Laser; Print Resolution Technologies: FastRes 1200; 1200 x 1200 dpi			
Print Cartridges Number	1 (black)			
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™			
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB			
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver			
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket			
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).			
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Google Cloud Print™ ⁶			
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed			
Processor Speed	1.2 GHz / Hard disk: Optional, 500 GB (with accessory B5L29A)			
Duty Cycle	Monthly, letter: Up to 420,000 pages Recommended Monthly Page Volume: 5000 to 40,000			
Paper Handling	Input Capacties: 100-sheet multipurpose feeder, S50-sheet input feeder; Up to 650 sheets standard labels legal; Qutput Capactiles: 500 sheet output biru, Up to 500 sheets standard labels legal; Duplev Options; Automatic (standard); Erwelope Feeder: Yes, 75 (optional); Standard Paper Trays: 2: Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, erwelope, heavy erwelope; Media Weight Supported: Feeder 1: 1 6 to 32 lb bond (plain), 16 to 24 lb (erwelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: Letter, legal, statement, executive, (Drico (S. x 1 sì in), erwelopes [No. 9, No. 10, Monarch (3 4/4), 3 x 5, 4 x 6, 5 x 7, 5 x, 6; Feeder 2 letter, executive, legal; Media Sizes Custom; feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1:16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stzes Supported: feeder 1:		
Product Dimensions	W x D x H: 17 × 18.3 × 15 in: Maximum: 17 × 40.9 × 17.8 in	Wx Dx H: 17 x 18.3 x 19.9 in: Maximum: 17 x 43.3 x 22.9 in		
Product Weight	47.7 lbs	58 lbs		
What's in the box				
Warranty Features	HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ²			
warranty reacties	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (code 4G)			
Energy Efficiency Compliance	ENERGY STAR® qualified			
Control Panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
Display Description	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Software Included		oc OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts			
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows VIsta all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)			
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0. (Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/5008 R2 SP1, Citrix on Windows Server 2008 Terminal Services, 32-and 64-bit, Citrix SenApp 5.0 (Flor Windows Server 2008 R2 SP1) Feature Release 1, 2, and 3), Citrix on Windows Server 2008 R2 Citrix Persentation Services, 40-bit, Citrix SenApp 6.0/6.5/7.5 (flor Windows Server 2008 R2 SP1) Terminal Services, 40-bit, Citrix SenApp 6.0/6.5/7.5 (flor Windows Server 2008 R2 SP1) Terminal Services, 40-bit, Citrix SenApp 6.0/6.5 (flor Windows Server 2008 R2 SP1) Terminal Services, 40-bit, Citrix SenApp 6.0/6.5 (flor Windows Server 2008 R2 SP1) Terminal Services, 32- and 64-bit, Citrix SenApp 6.0/6.5 (flor Windows Server 2008 R2 SP1) Terminal Services, 32- and 64-bit, Citrix SenApp 6.0/6.5 (flor Windows Server 2008 R2 SP1) Terminal Services, 32- and 64-bit, Citrix SenApp 6.0/6.5 (flor Windows Server 2012 And 2012 R2 Terminal Services) (A-bit) (SP1) SP3 Novel (Citrix SenApp 6.0/6.5) (flor Windows Server 2012 And 2012 R2 Terminal Services) (Windows Server 2008/2003 R2 32-64-bit (SP1)/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1)/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 (SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-64-bit (SP1) Standard/Enterprise/Datace			
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info			
Power	Power Supply Type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power Requirements: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A; Power Consumption: 780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) ³			
Acoustics	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 55 dB(A)	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 54 dB(A)		
Operating Environment	Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: 4 to 104°F; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 30 to 70% RH; Recommended Humidity Operating Range: 10 to 90% RH			
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; an Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP-TLS); SMPV2; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Frase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocked for security solutions; Intrusion Detection with Rec Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs			

Learn more at hp.com



¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.hp.com/go/learnaboutsupplies³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device. ⁵ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁶ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/sprinterclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁸ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. ⁹ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁰ eMMC is non-volatile storage; Firmware encryption (A5 128 or A55 256) of customer/job data; Secure Cryptographic Erase – Disb Data; Secure Erase – Disb Data; Se