Data sheet

HP Color LaserJet Managed MFP E67550 series



This HP Color LaserJet MFP merges performance, energy efficiency, and the deepest security.

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details.



HP Color LaserJet Managed MFP E67550dh

The world's most secure printing1

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions

High speed performance meets energy efficiency

- Scanning is now faster than ever; scan to SharePoint and more.
- This MFP wakes up fast and prints your first page faster—in as quickly as 8.9 seconds.
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.9
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More. Pages, Performance, and Protection.4

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality
- Original HP Toner cartridges with JetIntelligence supply 69% more pages per color cartridge vs predecessor.⁴
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/printersThatProtect. For more information: http://www.hp.com/go/printersCurityclaims ² Some features require additional purchase. A FutureSmart series pack update may be required to activate security features. Learn more at http://www.hp.com/go/printerscurity. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original Laser Jet Toner Cartridges with HP Color Managed Laser Jet Toner Cartridges. For more information, see thitty://www.hp.com/go/printerclaims. Exact speed or her Sax High Yield Color Original Laser Jet Toner Cartridges with HP Color Managed Laser Jet Toner Cartridges. For more information, see thitty://www.hp.com/go/go/printerclaims. Exact speed shape and the speed of Sax High Yield Color Original Laser Jet Toner Cartridges with HP Color Managed Laser Jet Toner Cartridges. For more information in clauded; please purchase separately. ⁶ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁷ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁸ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin ⁹ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-clas

HP Color LaserJet Managed MFP E67550dh

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port2
- 3. 500-sheet output bin
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 150-sheet ADF with single-pass, two-sided scanning
- 7. 8.0-inch (20.3 cm) icon-based color touchscreen
- 8. Right door (access to print path)
- 9. Front door access to toner cartridges
- 10. 100-sheet multipurpose tray 1
- 11. Slot for cable-type security lock
- 12. Built-in Gigabit Ethernet port
- 13. Hi-Speed USB 2.0 printing port
- 14. USB port for connecting external USB devices



Series at a glance



HP Color LaserJet Managed MFP E67550dh

Product number	L3U66A
Print speeds, black and color (letter/A4) ³	Up to 50/47 pages per minute (ppm)
Fax capabilities	Optional
100-sheet multipurpose tray, 550-sheet tray 2	√
1x550-sheet paper feeder	Optional (up to two) ⁴
1x550-sheet paper feeder with stand and cabinet	Optional ⁴
3x550-sheet paper feeder and stand	Optional ⁴
1x550 and 2,000-sheet HCI feeder and stand	Optional ⁴
Wireless direct,⁵ NFC touch-to-print⁵	Optional
Wireless networking	Optional ⁷

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ The MFP comes standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. Add up to two additional 550-sheet paper feeders; or add one of the other accessories (1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand), All optional accessories support media up to letter size (A4). ⁵ Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. ⁶ Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC) enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁷ Add wireless networking by purchasing the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc













Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 50 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your MFP using Original HP Toner cartridges with JetIntelligence.4

Accessories	
P1809A P1810A P1811A P1812A J8031A J8030A F5S62A B5L28A B5L31A E5K48A CC487A	HP Color LaserJet 550-sheet Paper Feeder HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet HP Color LaserJet 3x550-sheet Paper Feeder with Stand HP Color LaserJet 1x550/2000-sheet Feeder and Stand HP Jetdirect 2900nw Print Server HPJetdirect 3000w NFC/Wireless Accessory HP Trusted Platform Module Accessory HP Internal USB Ports HP Foreign Interface Harness HP 1GB DDR3 x32 144-Pin 800MHz SODIMM HP LaserJet MFP Analog Fax Accessory 500
Supplies	
W9030MC W9031MC W9032MC W9033MC7 P1B91A P1B92A P1B93A P1B94A J8J95A J8J96A	HP Black Managed LaserJet Toner Cartridge (~32,200 yield) HP Cyan Managed LaserJet Toner Cartridge (~28,000 yield) HP Yellow Managed LaserJet Toner Cartridge (~28,000 yield) HP Magenta Managed LaserJet Toner Cartridge (~28,000 yield) HP LaserJet 110V Maintenance Kit (~150,000 pages) HP LaserJet 220V Maintenance Kit (~150,000 pages) HP LaserJet Image Transfer Belt Kit (~150,000 pages) HP LaserJet Toner Collection Unit (~100,000 pages) HP 300 ADF Roller Replacement Kit (~150,000 pages) HP Staple Cartridge Refill (5,000 staples)
Services	
U9NY1E	HP 3 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP E675xx Managed
U9NY4E	HP 3 year 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NZ0PE	HP 1 year Post Warranty NBD Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NZ2PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersThatProtect. For more information: see thtp://www.hp.com/go/PrintersThatProtect. For more information: see thtp://www.hp.com/go/PrintersThatProtect. For more information: see http://www.hp.com/go/PrintersThatProtect. For more information: see http://www.hp.com/go/PrintersThatProtect. For more information: see papication, driver, and document complexity. ⁴ More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original Laser let Toner Cartridges with HP Color Managed Laser let Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies ⁵ HP Managed Laser let Toner Cartridges on tincluded; please purchase separately. ⁶ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁷ Measured after 15 min in sleeps. Extact speed varies depending on the in sleep. ⁸ HP Web leatamin is available for download at no additional charge at http://www.hp.com/go/webjetadmin ⁹ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings.

HP Color LaserJet Managed MFP E67550 series

· · · · · · · · · · · · · · · · · · ·	erjet managed MFP E67550 Series
Technical Specifications	HP Color Laser Jet Managed MFP E67550dh (L3U66A)
AIO functions	Print, copy, scan; AlO multitasking supported: Yes
Print speed	Letter: Up to 50 ppm black; Up to 50 ppm color ¹⁰ ; First Page Out Black: As fast as 6.4 sec; First Page Out Color: As fast as 6.4 sec ¹²
Print resolution	Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi
Print Technology	Laser; Print Resolution Technologies; HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)
Standard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.77), URF (AirPrint)
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Scan Type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)
Scan Resolution	Hardware: Up to 600 × 600 dpi; Optical: Up to 600 dpi
Scan File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scan Input Modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN
Scan Size	ADF: 8.5 x 34.0 in Maximum; 2.7 x 5.8 in Minimum; Flatbed: 8.5 x 14 in
Scan Speed	Up to 75 ppm/120 ipm (b8w), up to 75 ppm/120 ipm (color) ¹⁷ ; Duplex : Up to 120 ipm (b8w), up to 120 ipm (color)
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets PDF, JPG, TIF, MTIF
Bit depth / Grayscale levels	24-bit / 256
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Copy Speed	Black (letter): Up to 50 cpm; Color (letter): Up to 50 cpm ¹⁴
Copy Resolution	Black (text and Graphics): Up to 600 x 600 dpi; Color (text and Graphics): Up to 600 x 600 dpi
Maximum Number of Copies	Up to 9999
Copier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-E Copy (different media sizes)
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Network Ready	Standard (built-in Gigabit Ethernet)
Wireless Capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print Z.0
Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB
Processor Speed Duty Cycle	1.2 GHz / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Monthly, letter: Up to 150,000 pages: Recommended Monthly Page Volume: 3000 to 24,000
Paper Handling	Input Capacities: 100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Up to 650 sheets standard: MP Tray; Up to 10 envelopes (or 10mm stack height) labels legal; Output Capacities: 500-sheet output tray, two-sided printing; Up to 500 Sheets standard labels legal; Output Capacities: 500-sheet output tray, two-sided printing; Up to 500 Sheets standard labels legal; Output Capacities: 500-sheet input tray 1 in 6 to 500 Sheets standard labels legal; Output Capacities: 500-sheet labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined, Media Velepit Supported: Tray 1: 16 to 58 lb (plain) 32 to 58 lb (plain
Product Dimensions	WxDxtt:20.08 x 21.85 x 25.91 in; Maximum: 37.91 x 30.31 x 35.83 in
Product Weight	93.2 lb ⁴
What's in the box	L3U66A HP Color Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ²²
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.
Energy Efficiency Compliance	ENERGY STAR® qualified; CECP; EPEAT® Silver
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Display Description	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32-8.64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Mindows Vista all 32-bit editions (Windows Vista all 32-bit e
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2 [SP], Citrix on Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5 [For Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenApp 6.0/6.5 [For Windows Server 2008 R2 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6 [For Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 [For Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6 [For Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6 [For Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6/7.0/7.5 [For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6/7.0/7.5 [For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.6/7.0/7.5 [For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.0/7.0/7.5 [For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.0/7.0/7.5 [For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Citrix XenDesktop 5.0/7.0/7.5 [For Windows Server 2008 R2 SP1 Terminal Services, Windows Server 2008 R2 SP1 Terminal
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info
Power	Power Supply Type: Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 6 A; Power Consumption: 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off/Manual On), 0.1 (Manua
Acoustics	Acoustic Power Emissions: 6.6 B(A); Acoustic Pressure Emissions: 52 dB(A)
Operating Environment	Operating Temperature Range: 59 to 86%; Recommended Operating Temperature: 63.5 to 77%; Storage Temperature Range: -4 to 104%; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH
Security Management	Recommended Humaniy Uperating Kange: 30 to 7/% KH Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 37 party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-EAP-EAP-TLS); SNIMP3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.pp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage. ⁴ With print cartridges ⁵ Wower requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device. ⁶ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ⁷ Average color composite (C/M/Y) and black declared yields based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies ⁸ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information or greater); Secure erase capabilities (Secure Flae Frase-Temporary Job Files, Secure Frase-Job Data, Secure ATA Erase-Disk) ¹⁰ Measured using ISO/IEC 24734, excludes first set of test documents. For more information and media type. ¹² Measured using ISO/IEC 24734, excludes first set of test documents. For more information and media type. ¹² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹³ Measured using ISO/IEC 24734 feet documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹³ Measured using ISO/IEC 24734 feet documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁵ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 24784, excludes first set of test documents. For more informati

Learn more at hp.com

© Copyright 2017-2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

